

TrulImage 6" Models (20mm)

Click above for picture

Model# 416-6

TrulImage Series

These models are primarily for image-based applications with graphics & animations supported by text.

Features:

- 20mm Pitch
- All Aluminum Ventless Light Gray Construction (Reduces Heat)
- Weatherproof case design eliminates external contamination by rain, salt fog or dust and reflects solar radiation
- Thermostatically controlled fans for internal cooling
- 4096 shades for improved graphics
- Wireless Communication
- Long Life Superbright LEDs (100,000 hr continuous use)
- Conformal coating on LED electronics
- Extra-Wide Viewing Angle - Continuous protective louvers
- 365 Day Message Scheduling
- PC Software & Temp Probe included
- 7 year parts warranty & 24 hr lifetime technical support
- ETL Listed Mark as proof of product safety

- Professional Phone or On-Site Training

Our technical support team is trained to maximize the capabilities of your display for your particular application. No more stumbling through operation manuals.

AdsLED Client Benefits:

- 7 yr warranty, unlimited phone support, and 24 hr tech support
- Total Support (featuring VBS), [click here to learn more](#)

2 Line

Model

(click below)

Matrix
Dimensions

5.7" text

per line

(2 lines)
12.6" text

per line

(2 lines)

216-6
16 x 96

1'-1" H x 6'-4" L

16 - 19

10

218-6
16 x 112

1'-1" H x 7'-5" L

18 - 21

12

221-6
16 x 128
1'-1" H x 8'-6" L
21 - 24

14

224-6
16 x 144
1'-1" H x 9'-6" L

24 - 27

16

226-6
16 x 160
1'-1" H x 10'-7" L

26 - 29

17

229-6
16 x 176
1'-1" H x 11'-7" L

29 - 32

22

[click model# above for online printable specifications page]

[All models include wireless transmission, windows-based PC software,
temp probe, 7 yr warranty, and unlimited 24 hr tech support]

[Pricing] [Chat Online] [Transmission Options]

4 Line

Model

(click below)

Matrix
Dimensions

4" text

per line

(5 lines)

5.7" text

per line

(4 lines)

8" text

per line

(3 lines)

12" text

per line

(2 lines)

25" text

per line

(1 line)

416-6

32 x 96

2'-2" H x 6'-4" L

19

16 - 19

10

12

12

418-6
32 x 112

2'-2" H x 7'-5" L

22
18 - 21

12
14
14

421-6
32 x 128
2'-2" H x 8'-6" L
25
21 - 24

14
16
16

424-6
32 x 144
2'-2" H x 9'-6" L

28
24 - 27

16
18
18

426-6
32 x 160
2'-2" H x 10'-7" L

32
26 - 29

17
20
20

429-6
32 x 176
2'-2" H x 11'-7" L

35
29 - 32

19
22
22

[click model# above for online printable specifications page]

[All models include wireless transmission, windows-based PC software,
temp probe, 7 yr warranty, and unlimited 24 hr tech support]

[Pricing] [Chat Online] [Transmission Options]

6 Line

Model

(click below)

Matrix
Dimensions

4" text

per line

(8 lines)

5.7" text

per line

(6 lines)
8" text

per line

(4 lines)

12" text

per line

(3 lines)

16" text

per line

(2 lines)

24" text

per line

(1 line)

616-6
48 x 96

3'-3" H x 6'-4" L

19
16 - 19

10
12
10
12

618-6
48 x 112

3'-3" H x 7'-5" L

22
18 - 21

12
14
12

14

621-6
48 x 128
3'-3" H x 8'-6" L
25
21 - 24

14
16
14
16

624-6
48 x 144
3'-3" H x 9'-6" L

28
24 - 27

16
18
16

18

626-6
48 x 160
3'-3" H x 10'-7" L

32
26 - 29

17
20
17
20

629-6
48 x 176
3'-3" H x 11'-7" L

35
29 - 32

19
22
19

22

[click model# above for online printable specifications page]

[All models include wireless transmission, windows-based PC software,
temp probe, 7 yr warranty, and unlimited 24 hr tech support]

[Pricing] [Chat Online] [Transmission Options]

8 Line

Model

(click below)

Matrix
Dimensions

4" text

per line

(10 lines)

5.7" text

per line

(8 lines)

8" text

per line

(5 lines)

12" text

per line

(4 lines)

16" text

per line

(3 lines)

24" text

per line

(2 lines)

816-6

64 x 96

4'-3" H x 6'-4" L

19

16 - 19

10

12

10

12

818-6

64 x 112

4'-3" H x 7'-5" L

22

18 - 21

12

14

12

14

821-6

64 x 128

4'-3" H x 8'-6" L

25
21 - 24

14
16
14

16

824-6
64 x 144
4'-3" H x 9'-6" L

28
24 - 27

16
18
16
18

826-6
64 x 160
4'-3" H x 10'-7" L

32
26 - 29

17

20
17
20

829-6
64 x 176
4'-3" H x 11'-7" L

35
29 - 32

19
22

19
22

[click model# above for online printable specifications page]

[All models include wireless transmission, windows-based PC software, temp probe, 7 yr warranty, and unlimited 24 hr tech support]

[Pricing] [Chat Online] [Transmission Options]

Trulmage Series - [5" Text (17mm)] [6" Text (20mm)] [7" Text (23mm)] [10" text (35mm)] [18" Text (64mm)] [24" Text (89mm)]

TruColor Series - [5" Text (16mm)] [6" Text (20mm)] [7" Text (23mm)] [10" Text (35mm)] [TruMedia Billboards]